



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORTALITY—Continued.

*Weekly mortality table, foreign and insular cities—Continued.*

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—									
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.
Magdeburg.....	June 15	287,465	89	5							1		
Do.....	June 29		93	6							1	2	
Manaos.....	July 6	52,000	36	2			3						
Manchester.....	do.....	714,427	181	20							1	2	5
Mannheim.....	June 22	201,864	35	6									1
Do.....	June 29	202,239	54	6							1		1
Matamoros.....	July 21	15,000	5							1			
Mazatlan.....	July 16	22,000	22	1			2						
Monterey.....	July 14	100,000	58	10					3				
Montreal.....	July 20	466,197	273	15					1			1	4
Moscow.....	June 15	617,157	769	92			1	1	2	7	6	24	10
Do.....	June 22		768	100						12	6	20	5
Do.....	June 29		933	95				4		7	8	16	4
Munich.....	June 22	610,000	176	36									1
Do.....	June 29		184	37							1	2	
Nagasaki.....	June 23	179,257	32	7					1				
Nagoya.....	June 22	42,297	163						1				
Newcastle-on-Tyne.....	July 6	269,193	58	2							1		
Nuremberg.....	June 15	344,797	98	11							1	2	1
Do.....	June 22		56	18									
Odessa.....	June 29	575,000	186	12			1		3	2	2	1	1
Ottawa.....	July 13	90,000	33										
Palermo.....	July 6	340,000	148	8			1	2	1	3		1	1
Para.....	do.....	185,000	84	15									1
Paris.....	June 29	2,888,110	788	200					3	4	5	22	
Do.....	July 6		838	212					3	6	6	18	
Prague.....	June 29	225,817	54	14					1				
Rotterdam.....	July 6	440,309	111						2				
Do.....	July 13	441,338	103						1				
St. Petersburg.....	June 29	1,962,400	860	107			5		21	14	7	68	3
Saigon.....	June 10	220,000	23			23							
Santiago.....	July 13	53,614	31	5					1				
Sarnia.....	July 20	9,936	2					1					
Sault Ste. Marie.....	do.....	12,500	5								1	2	
Sheffield.....	June 29	455,000	99	10						1	2		
Do.....	July 6	454,653	95							1	1		
Singapore.....	June 8	303,328	270	31	3	4		1		1			
Stettin.....	June 22	240,000	70	5								1	
Stockholm.....	do.....	346,599	69	13								2	1
Do.....	June 29		92	20						3			
Stoke-on-Trent.....	do.....	237,153	57	4								2	
Do.....	July 6		49	2							1		
Swansea.....	June 1-29	117,150	135								1	1	6
Do.....	July 6		21								1		
Talcahuano.....	June 15	28,000		1									1
Torrugona.....	June 29	23,150	7							1			
Tientsin.....	June 22	465,000	15	1						1			
Toronto.....	July 6	392,000	123	5							1	2	1
Do.....	July 13		109	5						1			
Trieste.....	June 29	235,999	88						1			1	
Turin.....	June 30	430,770	147	16					1			1	2

MORTALITY—FOREIGN AND INSULAR COUNTRIES AND CITIES  
(Untabulated).

FRANCE—*St. Etienne*.—Two weeks ended June 30, 1912. Population, 150,000. Total number of deaths from all causes 122, including diphtheria 2, scalet fever 1, tuberculosis 13. Cases reported: Diphtheria 1, typhoid fever 7.

GREAT BRITAIN.—Week ended June 29, 1912.

*England and Wales.*—The deaths registered in 95 great towns correspond to an annual rate of 11.1 per 1,000 of the population, which is estimated at 17,639,816.

*Ireland.*—The deaths registered in 22 principal town districts correspond to an annual rate of 16 per 1,000 of the population, which is estimated at 1,157,014. The lowest rates were recorded at Lurgan, viz, 0, and at Portadown, viz, 0, and the highest at Galway, viz, 43.3 per 1,000.

*Scotland.*—The deaths registered in 18 principal towns correspond to an annual rate of 14 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Clydebank, viz, 3.9, and the highest at Dundee, viz, 23.4 per 1,000. The total number of deaths from all causes was 586, including diphtheria 5, measles 32, scarlet fever 2, typhoid fever 1.

ITALY—*Genoa.*—Two weeks ended June 30, 1912. Population, 267,862. Total number of deaths from all causes, 125, including diphtheria 7, measles 3, tuberculosis 42. Cases reported: Diphtheria 33, measles 20, scarlet fever 5, tuberculosis 52, typhoid fever 8.

*Messina.*—Month of June, 1912. Population, 127,000. Total number of deaths from all causes, 152, including diphtheria 2, measles 3, scarlet fever 4, tuberculosis 7.

*Milan.*—Four weeks ended June 30, 1912. Population, 602,236. Total number of deaths from all causes, 117, including diphtheria 3, measles 3, scarlet fever 1, tuberculosis 93, typhoid fever 12. Cases reported: Diphtheria 24, measles 115, scarlet fever 79, tuberculosis 44, typhoid fever 52.

SOUTH AFRICA—*Johannesburg.*—Four weeks ended June 15, 1912. Population, 237,220. Total number of deaths from all causes, 272, including diphtheria 4, measles 8, tuberculosis 34, typhoid fever 4. Cases reported: Diphtheria 28, scarlet fever 30, tuberculosis 7, typhoid fever 42.

SPAIN—*Almeria.*—Month of June, 1912. Population, 53,000. Total number of deaths from all causes, 100, including smallpox 3, tuberculosis 6, typhoid fever 7.

*Madrid.*—Month of June, 1912. Population, 591,598. Total number of deaths from all causes, 1,424, including diphtheria 12, measles 68, tuberculosis 175, typhoid fever 17.

*Seville.*—Month of June, 1912. Population, 158,235. Total number of deaths from all causes, 480, including diphtheria 2, measles 1, smallpox 6, tuberculosis 60, typhoid fever 7.

By authority of the Secretary of the Treasury:

RUPERT BLUE,  
Surgeon General,

*United States Public Health and Marine-Hospital Service.*